




# Shanghai Sunpace Machinery Co., Ltd.



7214CTRDULP4Y Bearing 2D drawings and 3D CAD models

2.756 Inch | 70 Millimeter x 4.921 Inch | 125 Millimeter x 1.89 Inch | 48 Millimeter NSK 7214CTRDULP4Y Precision Ball Bearings

Bearing No. 7214CTRDULP4Y

Category	Precision Ball Bearings
Inventory	1.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	2.17
EAN	0029176586330
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row   Angular Contact   Bore and OD are Exclusive All Others are ISO 4
Long Description	70MM Bore; 125MM Outside Diameter; 48MM Width; Open Enclosure;



## Shanghai Sunpace Machinery Co., Ltd.

	ABEC 7   ISO P4 Precision; Steel Ball Material; 2 (1 Pair) Bearings; 15 Degree Contact Angle; Phenolic Cage Material; 1 Rib Outer Ring Ra
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	7214CTRDULP4Y
Weight / LBS	4.784
d	2.756 Inch   70 Millimeter
D	4.921 Inch   125 Millimeter
B	1.89 Inch   48 Millimeter
bore diameter:	70 mm
radial dynamic load capacity:	8100 kgf
outside diameter:	125 mm
radial static load capacity:	6600 kgf
overall width:	24 mm
maximum rpm:	11000 RPM
contact angle:	15 °
cage material:	Synthetic Resin
internal clearance:	C0
finish/coating:	Uncoated
ball screw application:	Not for Ball Screws
outer ring width:	24 mm
closure type:	Open
fillet radius:	1.5 mm
precision rating:	ABEC 7 (ISO Class 4)



# Shanghai Sunpace Machinery Co., Ltd.

series:

72