



Shanghai Sunpace Machinery Co., Ltd.



6011ZZC3/EM Bearing 2D drawings and 3D CAD models

NTN 6011ZZC3/EM Single Row Ball Bearings

Bearing No. 6011ZZC3/EM

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.387
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch - Metric	Metric
Long Description	55MM Bore; 90MM Outside Diameter; 18MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C3-Loose Internal Clearance; Steel
Other Features	Deep Groove Electric Motor Grade
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68



Shanghai Sunpace Machinery Co., Ltd.

Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6011ZZC3/EM
Weight / LBS	0.85539
Outer Race Width	0.709 Inch 18 Millimeter
D	3.543 Inch 90 Millimeter
d	2.165 Inch 55 Millimeter
Inner Race Width	0 Inch 0 Millimeter
bore diameter:	55 mm
precision rating:	ISO Class 0
outside diameter:	90 mm
finish/coating:	Uncoated
overall width:	18 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	18 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	18 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	7700 rpm
internal clearance:	C3
fillet radius:	1.1 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	9000 RPM
dynamic load capacity:	28300 N
series:	60
static load capacity:	21200 N
manufacturer product page:	Click here



Shanghai Sunpace Machinery Co., Ltd.