




# Shanghai Sunpace Machinery Co., Ltd.



2.362 Inch | 60 Millimeter x 5.118 Inch | 130 Millimeter x 1.811 Inch | 46 Millimeter SKF NU 2312 ECP/C3 Cylindrical Roller Bearings

Bearing No. NU 2312 ECP/C3

NU 2312 ECP/C3 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.801
EAN	7316570222814
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	60MM Bore; Straight Bore Profile; 130MM Outside Diameter; 46MM Width;



## Shanghai Sunpace Machinery Co., Ltd.

	Polymer Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NU 2312 ECP/C3
Weight / LBS	6.169
D	5.118 Inch   130 Millimeter
B	1.811 Inch   46 Millimeter
d	2.362 Inch   60 Millimeter
bore diameter:	60 mm
static load capacity:	265 kN
outside diameter:	130 mm
maximum rpm:	6700 rpm
overall width:	46 mm
bearing material:	Steel
flanges:	(2) Flanges on outer Ring, Flangeless Inner Ring
cage material:	Polyamide
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
series:	NU
operating temperature range:	Maximum 302 ° F
manufacturer upc number:	7316570222814



# Shanghai Sunpace Machinery Co., Ltd.

dynamic load capacity:

260 kN