




# Shanghai Sunpace Machinery Co., Ltd.

## SKF F4B 203-TF Flange Block Bearings



F4B 203-TF Bearing 2D drawings and 3D CAD models

Bearing No. F4B 203-TF

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.54
EAN	7316577344076
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Cast Iron
Housing Material	Ball Bearing
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 211-203-2F
Seals	Single Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-3/16" Bore; 7.2" Bolt Circle; 5.1" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 2.189" Length Thru Bore; Relubricatable; Sin
Other Features	Flingers Seal



## Shanghai Sunpace Machinery Co., Ltd.

Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	9.15075
D	2.189 Inch   55.601 Millimeter
Nominal Bolt Circle Diameter Round	7.2 Inch   182.9 Millimeter
d	2.188 Inch   55.575 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Bolt Spacing	5.1 Inch   129.5 Millimeter
bore diameter:	2.1875 in
radial static load capacity:	6530 lbf
bolt center-to-center length:	5.1250 in
seal type:	Contact Seal
overall length/diameter:	162 mm
length through bore:	64.4 mm
bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
maximum rpm:	3600 RPM
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	FY
locking device:	Set Screw
replacement bearing:	YAR 211-203-2F
expansion type:	Non-Expansion Bearing



## Shanghai Sunpace Machinery Co., Ltd.

	(Fixed)
manufacturer upc number:	7316577344076
radial dynamic load capacity:	9810 lbf