



# Shanghai Sunpace Machinery Co., Ltd.



23234 CCK/C3W33 Bearing 2D drawings and 3D CAD models

6.693 Inch | 170 Millimeter x 12.205 Inch | 310 Millimeter x 4.331 Inch | 110 Millimeter SKF 23234 CCK/C3W33 Spherical Roller Bearings

Bearing No. 23234 CCK/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	36.933
EAN	7316576657450
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3234 (Specify bore)
Withdrawal Nut	KM38
Inch - Metric	Metric
Long Description	170MM Tapered Bore; 310MM Outside Diameter; 110MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part N



## Shanghai Sunpace Machinery Co., Ltd.

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	81.351
d	6.693 Inch   170 Millimeter
D	12.205 Inch   310 Millimeter
Adapter Part Number	SNW134 H2334 HA2334 HE2334 (Specify Bore) Inch   H2334 (Specify bore) Millimeter
B	4.331 Inch   110 Millimeter
bore diameter:	170 mm
maximum rpm:	2000 RPM
outside diameter:	310 mm
operating temperature range:	Maximum of +390 ° F
overall width:	110 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## Shanghai Sunpace Machinery Co., Ltd.

outer ring width:	110 mm
dynamic load capacity:	1400 kN
fillet radius:	3 mm
static load capacity:	1930 kN
series:	232