



Shanghai Sunpace Machinery Co., Ltd.

2.362 Inch | 60 Millimeter x 2.846 Inch | 72.3 Millimeter x 3.74 Inch | 95 Millimeter TIMKEN MSM60BRHSATL Pillow Block Bearings



MSM60BRHSATL Bearing 2D drawings and 3D CAD models

Bearing No. MSM60BRHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	16.16
EAN	0013992059826
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	MSM60BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Metric
Other Features	Single Row Medium Duty With Support Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



Shanghai Sunpace Machinery Co., Ltd.

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Weight / LBS	35.6
Bolt Spacing Maximum	0 Inch 0Millimeter
Nominal Bolt Center to Center	10.6 Inch 270 Millimeter
D	2.846 Inch 72.3 Millimeter
Actual Bolt Center to Center	10.6 Inch 270Millimeter
B	3.74 Inch 95 Millimeter
d	2.362 Inch 60 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Shaft Size	60 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	2 x M20
Weight	47 lb
Dimension H	3.740 in
Dimension H1	1.5 in
Dimension H2	8.2 in
Dimension J	10.6 in
Dimension L	13.0 in
Dimension M	3.0 in
Housing Width	5.0 in
Cr - Dynamic Load Rating	37768 lbf
Cor - Static Load Rating	42714 lbf
Ca - Axial Load Rating	1978 lbf



Shanghai Sunpace Machinery Co., Ltd.

Maximum Speed	3680 rpm
Note	This product line was formerly known as "Revolvo "