



32334 NSK CYLINDRICAL ROLLER BEARING

Bearing No. 32334

32334 Bearing 2D drawings and 3D CAD models

Size	170x360x127 mm
Bore Diameter	170 mm
Outer Diameter	360 mm
Width	127 mm
d	170 mm
D	360 mm
T	127 mm
B	120 mm
C	100 mm
a	91,3 mm
r min.	5 mm
r1 min.	4 mm
da min.	202 mm
Da min	297 mm
Da max.	342 mm
db max.	213 mm
Db min.	337 mm
ra max.	4 mm
rb max.	3 mm
Weight	57 Kg
Basic dynamic load rating (C)	1370 kN
Basic static load rating (C0)	2050 kN
(Grease) Lubrication Speed	1000 r/min
(Oil) Lubrication Speed	1300 r/min
Calculation factor (e)	0,37



Shanghai Sunpace Machinery Co., Ltd.

Calculation factor (Y0)	0,88
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	54
Product Group	B04334
LangID	1
outer r	4
D_	360
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	5
mass	57
GRS rpm	1000
D_b	337
Cr	140000
TC-RA	691.046
DE_	311.933
T-ALP23	0
db	213
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	202
T-ALP21	28
Iso	-
ALPHA_	14
SDM_	268.25
SBRG	23
D_a2	297
hidYobi	32334



Shanghai Sunpace Machinery Co., Ltd.

Y1	1.6
D_a1	342
B_	120
hidTable	ecat_NSTPRM
Oil rpm	1300
C0r	209000
Y0	0.88
TC-SLR	88
inner ra	4
outer rb	3
C0	2050
Sa	10
Sb	27
e	0.37
DA_	45.175
Z_	15
C_	100
yobi	32334
TC-DA1	48.231
TC-DA2	42.118
KBRG	3111
DI_	224.566